




EUROGRUAS

29tm

PALFINGER 29002






PALFINGER 29002

DIMENSIONES / DIMENSIONS




29tm






PK 29002 Performance E	
Capacidad máxima: 6700 Kg	
Alcance	Capacidad
hidráulico	
4,6 m	5500 Kg
6,0 m	3990 Kg
7,9 m	2840 Kg
10,1 m	2090 Kg
12,2 m	1630 Kg
14,4 m	1350 Kg
16,7 m	1160 Kg



PK 29002 Performance F	
Capacidad máxima: 6600 Kg	
Alcance	Capacidad
hidráulico	
4,6 m	5420 Kg
6,0 m	3910 Kg
7,9 m	2740 Kg
10,1 m	1980 Kg
12,2 m	1520 Kg
14,4 m	1230 Kg
16,7 m	1040 Kg
18,9 m	910 Kg



PK 29002 Performance G	
Capacidad máxima: 6500 Kg	
Alcance	Capacidad
hidráulico	
4,6 m	5360 Kg
6,0 m	3830 Kg
7,9 m	2660 Kg
10,1 m	1890 Kg
12,2 m	1430 Kg
14,4 m	1140 Kg
16,7 m	940 Kg
18,9 m	800 Kg
21,1 m	710 Kg